

AMENDMENT TO THE CLAIMS

1
2
3 1. (Currently Amended) A rooftop used in combination with a
4 vehicle suitable for traveling over rough terrain having four wheels and
5 exhibiting the characteristics or capable of exhibiting the characteristics of a
6 jeep jeep-type vehicles, comprising:

7
8 A) a substantially rectangular top wall having first, second, third,
9 and fourth ends, said first and second ends parallel and equally spaced
10 apart from each other by said third and fourth ends, said first end
11 removably secured to a windshield frame of a vehicle suitable for traveling
12 over rough terrain having four wheels and exhibiting the characteristics or
13 capable of exhibiting the characteristics of a jeep jeep-type vehicle, said
14 substantially rectangular top wall also having first and second elongated
15 wedges; and

16
17 B) first and second side walls extending substantially
18 perpendicularly from said third and fourth ends to form the a rooftop for
19 said ~~jeep-type~~ vehicle, said first and second side walls terminating at first
20 and second bases respectively and mount upon said ~~jeep-type~~ vehicle, said
21 rooftop only covering a driver and front passenger cabin of said ~~jeep-type~~
22 vehicle, further characterized in that said first and second elongated
23 wedges extend from said first end to said first and second bases, said first
24 and second elongated wedges having cooperative characteristics to receive
25 door window frames of said vehicle when said door window frames are in
26 a closed position.

2. (Cancelled)

3. (Currently Amended) The rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep-type vehicles set forth in claim 12, further characterized in that said substantially rectangular top wall has a reinforced area defined as a support wall for structural integrity.

4. (Currently Amended) The rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep-type vehicles set forth in claim 3, further characterized in that said substantially rectangular top wall has a sunroof assembly built within said support wall, said sunroof assembly at a first predetermined distance from said first end extending towards said second end without reaching said second end.

5. (Currently Amended) The rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep-type vehicles set forth in claim 4, further characterized in that said rooftop is filled with a filler material to reduce ultra violet radiation and reduce exterior noise within said driver and front passenger cabin of said jeep-type vehicle.

6. (Currently Amended) The rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and

1 exhibiting the characteristics or capable of exhibiting the characteristics of a
2 jeep jeep-type vehicles set forth in claim 5, further characterized in that said
3 rooftop is made of a hard, lightweight, weatherproof plastic material.
4

5 7. (Cancelled)

6
7 8. (Cancelled)

8
9 9. (Cancelled)

10
11 10. (New) The rooftop used in combination with a vehicle suitable
12 for traveling over rough terrain having four wheels and exhibiting the
13 characteristics or capable of exhibiting the characteristics of a jeep set forth
14 in claim 6, further characterized in that said vehicle is a CJ-7 or wrangler.
15

16 11. (New) A detachable rooftop used in combination with a
17 vehicle suitable for traveling over rough terrain having four wheels and
18 exhibiting the characteristics or capable of exhibiting the characteristics of a
19 jeep, comprising:
20

21 A) a substantially rectangular top wall having first, second, third,
22 and fourth ends, said first and second ends parallel and equally spaced
23 apart from each other by said third and fourth ends, said first end
24 removably secured to a windshield frame of a vehicle suitable for traveling
25 over rough terrain having four wheels and exhibiting the characteristics or
26 capable of exhibiting the characteristics of a jeep, said substantially
27 rectangular top wall also having first and second elongated wedges; and
28

1 B) first and second side walls extending substantially
2 perpendicularly from said third and fourth ends to form the detachable
3 rooftop for said vehicle, said first and second side walls terminating at first
4 and second bases respectfully and mount upon said vehicle, said
5 detachable rooftop only covering a driver and front passenger cabin of said
6 vehicle, further characterized in that said first and second elongated
7 wedges extend from said first end to said first and second bases, said first
8 and second elongated wedges having cooperative characteristics to receive
9 door window frames of said vehicle when said door window frames are in
10 a closed position, said substantially rectangular top wall has a reinforced
11 area defined as a support wall for structural integrity, said substantially
12 rectangular top wall has a sunroof assembly built within said support wall,
13 said sunroof assembly at a first predetermined distance from said first end
14 extending towards said second end without reaching said second end, said
15 detachable rooftop is filled with a filler material to reduce ultra violet
16 radiation and reduce exterior noise within said driver and front passenger
17 cabin of said vehicle, said detachable rooftop is made of a hard,
18 lightweight, weatherproof plastic material and having cooperative
19 characteristics to be mounted onto said vehicle as delivered from its
20 factory.

21
22 **12.** (New) The rooftop used in combination with a vehicle suitable
23 for traveling over rough terrain having four wheels and exhibiting the
24 characteristics or capable of exhibiting the characteristics of a jeep set forth
25 in claim 11, further characterized in that said vehicle is a CJ-7 or wrangler.